"Uplift your journey, elevate with Ultra Max!"









A Trusted & Reliable Name In Elevator Industries

When the world's great cities could no longer grow outwards they started growing upwards. Elevator are the main vertical transportation.

ULTRA MAX ELEVATORS offers Superlative Safety, Quality, Dependability and High Performance Standards.

We are one of the leading Elevator companies based in Lucknow. We have been in existence for more than two decades of experience indigenous manufacturing and catering to individual & corporate needs.

UME Elevator manufacturer has now established itself as a premium brand in the Elevator domain. Our products are of the highest Quality and at per with international standards.

With decades of experience and indigenous manufacturing UME ELEVATORS COMPANY has maintained a leadership role in the industry by never compromising on prime standards of quality and skilled service. Since then we have grown to serve thousands of installation.

"Quality", "Safety" and Customer Satisfaction" are the keywords of the "UME". We Provide safe, reliable and trouble free elevators with customer friendly services.

A Mission to serve:

UME have well trained and experienced engineers having technically skilled staff with vast knowledge in elevator industries.

We offer quality Product and service at affordable price to help the client to meet their business objectives.

PRODUCT:

We provide one stop solution for every Vertical Transportation System.

Our Elevator systems offer Safety, Reliability and high performance Standards. They are developed from original technical processes and an ever-expanding pool of experience. We are developing day by day new devices, functions, and methods in accordance with our policy and continually innovate design for the performance of our product. We give simple but apt solution to complex problems.

Type of Elevator

















Home Elevator

MRL Gearless Elevator

Stretcher Lift

Goods Lift

Panoramic Lift

Parking lift













UME COP-LOP 02



UME COP-LOP 03









UME COP - 06

UME COP - 07

UME COP - 08








Passenger Elevator

- UME has been engineered with full automatic doors/manual doors.
- > Fabricated with most advanced Lift controls, appreciated for their high speed, smooth travel & perfect leveling and different types of doors Center Opening, Telescopic Opening.
- > The Passengers Elevators detailed here are designed to handle promptly and efficiently the transportation requirements of any type of building -which means any traffic condition.
- Delivers maximum lifting power with a minimum of effort.
- > A superior combination of flexibility and performance.
- It gives benefits of jerk less travailing, economically low power consumption and excellent design.
- > Features : Cent percent safety, Easy to use and maintain.

Manual Door

Load		Lift Well		Car I	nside	Entrance	Machine Room			
Person	Weight	Width	Depth	Width	Depth		Width	Depth	Height	
IN	KG.	Α	В	C	D	E	F	G	Н	
4	272	1500	1300	1100	700	700	3000	3000	2500	
6	408	1600	1400	1100	1000	750	3000	3500	2500	
8	544	1800	1600	1300	1100	750	3200	3500	2500	
10	680	1850	1800	1350	1300	1000	3500	4000	2500	
13	884	2500	1600	2000	1100	1000	4000	4200	2500	
16	1088	2500	1800	2000	1300	1000	4500	4800	2500	
20	1360	2500	2050	2000	1550	1000	5000	5000	2500	

All Dimension are in rem. * This is General Data, it may be changed without notice.
 All hoist way walls should be minimum 230 mm brick or 150 mm R. C. C.




Hoistway Elevation Drawing H-2500 Overhead 4800 Ground Pit 1600

Auto Doors

Load		Lift Well		Car Inside		Entrance	Machine Room			UP To 1.5 M/Sec.		UP TO 2.5 M/Sec.	
Person	Weight	Width	Depth	Width	Depth		Width	Depth	Height	Pit	O.H.	Pit	O.H.
IN	KG.	Α	В	С	D	E	F	G	Н	К	М	К	М
6	408	1650	1650	1100	1000	700	3000	3500	2500	1600	4800	2600	6700
6	408	1700	1500	1100	1000	700	3000	3500	2500	1600	4800	2600	6700
8	544	1800	1800	1200	1100	800	3200	3500	2500	1600	4800	2600	6700
10	680	1900	2000	1350	1300	800	3500	4000	2500	1600	4800	2600	6700
13	884	2500	1900	2000	1100	1000	4000	4200	2500	1600	4800	2600	6700
16	1088	2500	2000	2000	1300	1000	4500	4800	2500	1600	4800	2600	6700
20	1360	2500	2300	2000	1550	1000	5000	5000	2500	1600	4800	2600	6700

All Dimension are in mm.
 This is General Data, it may be changed without notice.
 All hoist way walls should be minimum 230 mm brick or 150 mm R. C. C.

Hoistway Machine Room Plan For Auto Door











Hospital Elevator

- UME Bed Hospital elevators are designed as a complete solution for hospital & renowned for the fine quality and robust performance.
- A wide range of Car dimensions is available for the varying requirements of a modern hospital.
- > The entire system is Safe and reliable operating Steadily.
- Features : Accurate Open and Shut Control, Stable and Smooth.







		Car Inside		Lift Well		Clear Entrance	O. H.	Pit	
Type	Capacity	A	В	C	D				Speed
Wheel Chair	408 kg	1200	1300	1700	1700	800	4200	1600	.50 mps
Stretcher	680 kg	1000	2100	1800	2900	800	4400	1600	.35 mps
Small Bed	884 kg	1200	2300	2000	3000	900	4400	1600	.35 mps
Standard Bed	1360 kg	1600	2400	2200	3000	1000	4400	1600	.35 mps


All Dimensions are in mm size.





MRL Elevator

- The Machine Roomles elevator save construction space to a large extent.
- The permanent magnet synchronous motored gearless machines have unapproachable superiority to the traction motor and save roughly 35% of energy consumption featuring excellent reliability and durability, they have a compact design, light weight and operate quietly and there is no need for lubrication.
- Such elevator have become more and more popular because they run at low noise and are energy saving and easily maintainable and make the building look more aesthetically pleasing.
- MRL have broken through the prerequisite for machine rooms, providing limitless possibilities of creation for the limited space of modern construction.
- Features: Longer functional life, Requires low maintenance.
- The advantage of MRL is much appreciated by the civil engineers, architects and users.





Capacity		Lift Speed	Lift	Well	Cabin	Entry	
Person	Kgs.	Mtr./Sec.	Α	В	c	D	E
5	340	0.50/1.0	1650	1500	920	1080	700
6	408	0.50/1.0	1650	1650	920	1230	700
8	544	0.50/1.0	1800	1700	1120	1280	800
10	680	0.50/1.0	2100	1800	1320	1330	800
13	884	0.50/1.0	2100	2100	1370	1630	800
16	1088	0.50/1.0	2350	2300	1520	1830	900
20	1360	0.50/1.0	2450	2400	1620	1930	1000



Load Hook
For Courter
Load Hook
For Cabin
Inspection Window
1000 X 1000
R

Inspection Window at Terrace Level






Lift Well Section View









Powder Coated Center Opening Autodoor



Stainless Steel Center Opening Autodoor





Stainless Steel Hairline Finish Autodoor



Glass Autodoor



Black Stainless Steel Glass Autodoor



Powder Coated Center Opening Autodoor



Manual Callapsible Door



S.S. With Glass Door



Manual Swing & Telescopic Door



M. S. Powder Coated Imperforated Door

Specialized in
Pasenger Elevator
Hospital Elevator
MRL Elevator
Home Elevator
Goods Elevator



ULTRA MAX ELEVATORS

Your Safety Is Our First Priority





E-mail: ultramaxelevators@gmail.com

Contact No.: 9721617177

Reg. Office: FF-15 Goel Palace, Lekhraj Metro Station,

Faizabad Road, Indira Nagar, Lucknow-226016

Office Address: 5/745, Sec-5, Gomti Nagar, Lucknow-226010